


profiles for fixing glass sheets in the shower zone

# proshower profile glass

Suitable profile for fixing glass slabs in case of floor level showers with a slope of 2%.  
Due to its particular shape and finish in satin-finish stainless steel, it covers and decorates the visible side of the screed.





PSHWPGACS 100DX  
PSHWPGACS 100SX  
PSHWPGACS 150DX  
PSHWPGACS 150SX  
PSHWPGACS 200DX  
PSHWPGACS 200SX




## INSTRUCTION FOR INSTALLATION

1. Choose PROSHOWER PROFILE GLASS according to the desired dimensions.
2. Cut PROSHOWER PROFILE GLASS to the desired length and apply the adhesive on the support where the profile will be laid.
3. Press the profile into the adhesive.
4. Lay the ceramic paving, aligning it with the profile, leaving a 2 mm joint. Immediately remove all remains of the adhesive from the profile.
5. Fill the joints between the profile and the paving grout, in order to avoid water stagnation.
6. Finally, insert sheet of glass and seal.




PLTCHAA 08  
PLTCHAA 10  
PLTCHAA 11  
PLTCHAA 125  
PLTCHBC 08  
PLTCHBC 10  
PLTCHBC 11  
PLTCHBC 125



## INSTRUCTION FOR INSTALLATION

1. Choose PROLISTEL CHANNEL according to the visible surface and desired finish.
2. Cut PROLISTEL CHANNEL to the desired length and apply the adhesive on the surface where the profile will be laid.
3. Press the profile into the adhesive, aligning it with the paving and leaving a 2 mm joint. Immediately remove all remains of adhesive from the profile surface.
4. Fill the joints between the profile and paving with grout in order to avoid water stagnation. Immediately remove all remains of the grout from profile surface.
5. Finally, put the sheet of glass or ceramic/stone in the section.



# prolistel channel

PROLISTEL CHANNEL is F-shaped profile made of anodized and polished aluminum. It can be used in multiple ways - for fixing sheet of glass (on the floors and walls), or it can have decorative character, if you put ceramic or stone instead of glass in the joint. Its particular section and the availability in two different finishes make PROLISTEL CHANNEL wanted profile that is in the same time a very simple to install.